

Richard J. Ross, MD, PhD (Current Topics in Sleep Medicine from the University of Pennsylvania)

Sleep in PTSD

References

1. American Psychiatric Association (2013). Diagnostic and Statistical Manual of Mental Disorders (Fifth ed.). Arlington, VA: American Psychiatric Publishing. pp. 5–25. ISBN 978-0-89042-555-8.
2. Lavie P. Sleep disturbances in the wake of traumatic events. *N Engl J Med.* 2001 Dec 20;345(25):1825-32.
3. Neylan TC, Marmar CR, Metzler TJ, Weiss DS, Zatzick DF, Delucchi KL, et al. Sleep disturbances in the Vietnam generation: findings from a nationally representative sample of male Vietnam veterans. *Am J Psychiatry.* 1998 Jul;155(7):929-33.
4. Kessler RC, Sonnega A, Bromet E, Hughes M, Nelson CB. Posttraumatic stress disorder in the National Comorbidity Survey. *Arch Gen Psychiatry.* 1995 Dec;52(12):1048-60.
5. Breslau N, Kessler RC, Chilcoat HD, Schultz LR, Davis GC, Andreski P. Trauma and posttraumatic stress disorder in the community: the 1996 Detroit Area Survey of Trauma. *Arch Gen Psychiatry.* 1998 Jul;55(7):626-32.
6. Foa EB. Psychological processes related to recovery from a trauma and an effective treatment for PTSD. *Ann N Y Acad Sci.* 1997 Jun 21;821:410-24.
7. Santiago PN, Ursano RJ, Gray CL, Pynoos RS, Spiegel D, Lewis-Fernandez R, et al. A systematic review of PTSD prevalence and trajectories in DSM-5 defined trauma exposed populations: intentional and non-intentional traumatic events. *PLoS One.* 2013;8(4):e59236.
8. Davidson JR, Hughes D, Blazer DG, George LK. Post-traumatic stress disorder in the community: an epidemiological study. *Psychol Med.* 1991 Aug;21(3):713-21.
9. McFarlane AC. The aetiology of post-traumatic morbidity: predisposing, precipitating and perpetuating factors. *Br J Psychiatry.* 1989 Feb;154:221-8.
10. Gurvits TV, Gilbertson MW, Lasko NB, Tarhan AS, Simeon D, Macklin ML, et al. Neurologic soft signs in chronic posttraumatic stress disorder. *Arch Gen Psychiatry.* 2000 Feb;57(2):181-6.
11. Gurvits TV, Metzger LJ, Lasko NB, Cannistraro PA, Tarhan AS, Gilbertson MW, et al. Subtle neurologic compromise as a vulnerability factor for combat-related posttraumatic stress disorder: results of a twin study. *Arch Gen Psychiatry.* 2006 May;63(5):571-6.
12. Gehrman P, Seelig AD, Jacobson IG, Boyko EJ, Hooper TI, Gackstetter GD, et al. Predeployment Sleep Duration and Insomnia Symptoms as Risk Factors for New-Onset Mental Health Disorders Following Military Deployment. *Sleep.* 2013;36(7):1009-18.
13. Bryant RA. Acute stress disorder as a predictor of posttraumatic stress disorder: a systematic review. *J Clin Psychiatry.* 2011 Feb;72(2):233-9.
14. True WR, Rice J, Eisen SA, Heath AC, Goldberg J, Lyons MJ, et al. A twin study of genetic and environmental contributions to liability for posttraumatic stress symptoms. *Arch Gen Psychiatry.* 1993 Apr;50(4):257-64.

15. Stein MB, Hofler M, Perkonigg A, Lieb R, Pfister H, Maercker A, et al. Patterns of incidence and psychiatric risk factors for traumatic events. *Int J Methods Psychiatr Res.* 2002;11(4):143-53.
16. van der Kolk BA, Dreyfuss D, Michaels M, Shera D, Berkowitz R, Fisler R, et al. Fluoxetine in posttraumatic stress disorder. *J Clin Psychiatry.* 1994 Dec;55(12):517-22.
17. Connor KM, Sutherland SM, Tupler LA, Malik ML, Davidson JR. Fluoxetine in post-traumatic stress disorder. Randomised, double-blind study. *Br J Psychiatry.* 1999 Jul;175:17-22.
18. Brady K, Pearlstein T, Asnis GM, Baker D, Rothbaum B, Sikes CR, et al. Efficacy and safety of sertraline treatment of posttraumatic stress disorder: a randomized controlled trial. *JAMA.* 2000 Apr 12;283(14):1837-44.
19. Davidson JR, Rothbaum BO, van der Kolk BA, Sikes CR, Farfel GM. Multicenter, double-blind comparison of sertraline and placebo in the treatment of posttraumatic stress disorder. *Arch Gen Psychiatry.* 2001 May;58(5):485-92.
20. Marshall RD, Beebe KL, Oldham M, Zaninelli R. Efficacy and safety of paroxetine treatment for chronic PTSD: a fixed-dose, placebo-controlled study. *Am J Psychiatry.* 2001 Dec;158(12):1982-8.
21. Lødborg PD, Hegel MT, Goldstein S, Goldstein D, Himmelhoch JM, Maddock R, et al. Sertraline treatment of posttraumatic stress disorder: results of 24 weeks of open-label continuation treatment. *J Clin Psychiatry.* 2001 May;62(5):325-31.
22. Davidson J, Baldwin D, Stein DJ, Kuper E, Benattia I, Ahmed S, et al. Treatment of posttraumatic stress disorder with venlafaxine extended release: a 6-month randomized controlled trial. *Arch Gen Psychiatry.* 2006 Oct;63(10):1158-65.
23. Davidson J, Rothbaum BO, Tucker P, Asnis G, Benattia I, Musgnung JJ. Venlafaxine extended release in posttraumatic stress disorder: a sertraline- and placebo-controlled study. *J Clin Psychopharmacol.* 2006 Jun;26(3):259-67.
24. Martenyi F, Brown EB, Zhang H, Koke SC, Prakash A. Fluoxetine v. placebo in prevention of relapse in post-traumatic stress disorder. *Br J Psychiatry.* 2002 Oct;181:315-20.
25. Davidson JR, Connor KM, Hertzberg MA, Weisler RH, Wilson WH, Payne VM. Maintenance therapy with fluoxetine in posttraumatic stress disorder: a placebo-controlled discontinuation study. *J Clin Psychopharmacol.* 2005 Apr;25(2):166-9.
26. Southwick SM, Bremner JD, Rasmussen A, Morgan CA, 3rd, Arnsten A, Charney DS. Role of norepinephrine in the pathophysiology and treatment of posttraumatic stress disorder. *Biol Psychiatry.* 1999 Nov 1;46(9):1192-204.
27. Raskind MA, Peskind ER, Kanter ED, Petrie EC, Radant A, Thompson CE, et al. Reduction of nightmares and other PTSD symptoms in combat veterans by prazosin: a placebo-controlled study. *Am J Psychiatry.* 2003 Feb;160(2):371-3.

28. Raskind MA, Peskind ER, Hoff DJ, Hart KL, Holmes HA, Warren D, et al. A parallel group placebo controlled study of prazosin for trauma nightmares and sleep disturbance in combat veterans with post-traumatic stress disorder. *Biol Psychiatry*. 2007 Apr 15;61(8):928-34.
29. Raskind MA. Diagnosis and treatment of depression comorbid with neurologic disorders. *Am J Med*. 2008 Nov;121(11 Suppl 2):S28-37.
30. Raskind MA, Peterson K, Williams T, Hoff DJ, Hart K, Holmes H, et al. A trial of prazosin for combat trauma PTSD with nightmares in active-duty soldiers returned from Iraq and Afghanistan. *Am J Psychiatry*. 2013 Sep;170(9):1003-10.
31. Gutner CA, Nillni YI, Suvak M, Wiltsey-Stirman S, Resick PA. Longitudinal course of anxiety sensitivity and PTSD symptoms in cognitive-behavioral therapies for PTSD. *J Anxiety Disord*. 2013 Oct;27(7):728-34.
32. Talbot LS, Maguen S, Metzler TJ, Schmitz M, McCaslin SE, Richards A, et al. Cognitive behavioral therapy for insomnia in posttraumatic stress disorder: a randomized controlled trial. *Sleep*. 2014 Feb;37(2):327-41.
33. Krakow B, Hollifield M, Johnston L, Koss M, Schrader R, Warner TD, et al. Imagery rehearsal therapy for chronic nightmares in sexual assault survivors with posttraumatic stress disorder: a randomized controlled trial. *JAMA*. 2001 Aug 1;286(5):537-45.
34. Davis JL, Wright DC. Randomized clinical trial for treatment of chronic nightmares in trauma-exposed adults. *J Trauma Stress*. 2007 Apr;20(2):123-33.
35. Cook JM, Harb GC, Gehrman PR, Cary MS, Gamble GM, Forbes D, et al. Imagery rehearsal for posttraumatic nightmares: a randomized controlled trial. *J Trauma Stress*. 2010 Oct;23(5):553-63.
36. Kobayashi I, Boarts JM, Delahanty DL. Polysomnographically measured sleep abnormalities in PTSD: a meta-analytic review. *Psychophysiology*. 2007 Jul;44(4):660-9.
37. Rechtschaffen, A. The psychophysiology of mental activity during sleep. In: F. J. McGuigan and R. A. Schoonover (Eds) *The Psychophysiology of Thinking*. Academic Press, New York, 1973.
38. Bremner JD, Randall P, Scott TM, Bronen RA, Seibyl JP, Southwick SM, et al. MRI-based measurement of hippocampal volume in patients with combat-related posttraumatic stress disorder. *Am J Psychiatry*. 1995 Jul;152(7):973-81.
39. Gurvits TV, Shenton ME, Hokama H, Ohta H, Lasko NB, Gilbertson MW, et al. Magnetic resonance imaging study of hippocampal volume in chronic, combat-related posttraumatic stress disorder. *Biol Psychiatry*. 1996 Dec 1;40(11):1091-9.
40. Bremner JD, Randall P, Vermetten E, Staib L, Bronen RA, Mazure C, et al. Magnetic resonance imaging-based measurement of hippocampal volume in posttraumatic stress disorder related to childhood physical and sexual abuse--a preliminary report. *Biol Psychiatry*. 1997 Jan 1;41(1):23-32.
41. Tupler LA, De Bellis MD. Segmented hippocampal volume in children and adolescents with posttraumatic stress disorder. *Biol Psychiatry*. 2006 Mar 15;59(6):523-9.

42. Nielsen TA, Stenstrom P. What are the memory sources of dreaming? *Nature*. 2005 Oct 27;437(7063):1286-9.
43. Liberzon I, Taylor SF, Amdur R, Jung TD, Chamberlain KR, Minoshima S, et al. Brain activation in PTSD in response to trauma-related stimuli. *Biol Psychiatry*. 1999 Apr 1;45(7):817-26.
44. Maquet P, Lejeune H, Pouthas V, Bonnet M, Casini L, Macar F, et al. Brain activation induced by estimation of duration: a PET study. *Neuroimage*. 1996 Apr;3(2):119-26.
45. Sanford LD, Silvestri AJ, Ross RJ, Morrison AR. Influence of fear conditioning on elicited ponto-geniculo-occipital waves and rapid eye movement sleep. *Arch Ital Biol*. 2001;139(3):169–183.
46. Germain A, Buysse DJ, Nofzinger E. Sleep-specific mechanisms underlying posttraumatic stress disorder: integrative review and neurobiological hypotheses. *Sleep Med Rev*. 2008 Jun;12(3):185-95.
47. Krakow B, Germain A, Warner TD, Schrader R, Koss M, Hollifield M, et al. The relationship of sleep quality and posttraumatic stress to potential sleep disorders in sexual assault survivors with nightmares, insomnia, and PTSD. *J Trauma Stress*. 2001 Oct;14(4):647-65.
48. Breslau N, Lucia VC, Davis GC. Partial PTSD versus full PTSD: an empirical examination of associated impairment. *Psychol Med*. 2004 Oct;34(7):1205-14.
49. El-Soh AA, Ayyar L, Akinnusi M, Relia S, Akinnusi O. Positive airway pressure adherence in veterans with posttraumatic stress disorder. *Sleep*. 2010 Nov;33(11):1495-500.