

Chapter 1

1. Ohayon MM, Carskadon MA, Guilleminault C, Vitiello MV. Meta-analysis of quantitative sleep parameters from childhood to old age in healthy individuals: developing normative sleep values across the human lifespan. *Sleep.* 2004 Nov;27(7):1255-73.
2. Filtness AJ, Reyner LA, Horne JA. Driver sleepiness-comparisons between young and older men during a monotonous afternoon simulated drive. *Biol Psychol.* 2012 Mar;89(3):580-3.

Chapter 2

1. Young T, Shahar E, Nieto FJ, Redline S, Newman AB, Gottlieb DJ, et al. Predictors of sleep-disordered breathing in community-dwelling adults: the Sleep Heart Health Study. *Arch Intern Med.* 2002 Apr;162(8):893-900.
2. Oliven A, Carmi N, Coleman R, Odeh M, Silbermann M. Age-related changes in upper airway muscles morphological and oxidative properties. *Exp Gerontol.* 2001 Nov;36(10):1673-86.
3. Eikermann M, Jordan AS, Chamberlin NL, Gautam S, Wellman A, Lo YL, et al. The influence of aging on pharyngeal collapsibility during sleep. *Chest.* 2007 Jun;131(6):1702-9.
4. Maislin G, Pack AI, Kribbs NB, Smith PL, Schwartz AR, Kline LR, et al. A survey screen for prediction of apnea. *Sleep.* 1995 Apr;18(3):158-66.
5. Ancoli-Israel S, Kripke DF, Klauber MR, Mason WJ, Fell R, Kaplan O. Sleep-disordered breathing in community-dwelling elderly. *Sleep.* 1991 Dec;14(6):486-95.
6. Endeshaw YW, Katz S, Ouslander JG, Bliwise DL. Association of denture use with sleep-disordered breathing among older adults. *J Public Health Dent.* 2004 Summer;64(3):181-3.
7. Bucca C, Cicolin A, Brussino L, Arienti A, Graziano A, Erovigni F, et al. Tooth loss and obstructive sleep apnoea. *Respir Res.* 2006;7:8.
8. Gehrman PR, Martin JL, Shochat T, Nolan S, Corey-Bloom J, Ancoli-Israel S. Sleep-disordered breathing and agitation in institutionalized adults with Alzheimer disease. *Am J Geriatr Psychiatry.* 2003 Jul-Aug;11(4):426-33.
9. Yaffe K, Laffan AM, Harrison SL, Redline S, Spira AP, Ensrud KE, et al. Sleep-disordered breathing, hypoxia, and risk of mild cognitive impairment and dementia in older women. *JAMA.* 2011 Aug 10;306(6):613-9.
10. Punjabi NM, Caffo BS, Goodwin JL, Gottlieb DJ, Newman AB, O'Connor GT, et al. Sleep-disordered breathing and mortality: a prospective cohort study. *PLoS Med.* 2009 Aug;6(8):e1000132.

11. Gooneratne NS. Making sense of sleepiness in the elderly. *Sleep*. 2012 Sep;35(9):1189-90.
12. Martinez-Garcia MA, Campos-Rodriguez F, Catalan-Serra P, Soler-Cataluna JJ, Almeida-Gonzalez C, De la Cruz Moron I, et al. Cardiovascular mortality in obstructive sleep apnea in the elderly: role of long-term continuous positive airway pressure treatment: a prospective observational study. *Am J Respir Crit Care Med*. 2012 Nov 1;186(9):909-16.
13. Flink BJ, Rivelli SK, Cox EA, White WD, Falcone G, Vail TP, et al. Obstructive sleep apnea and incidence of postoperative delirium after elective knee replacement in the nondemented elderly. *Anesthesiology*. 2012 Apr;116(4):788-96.
14. Ancoli-Israel S, Gehrman P, Kripke DF, Stepnowsky C, Mason W, Cohen-Zion M, et al. Long-term follow-up of sleep disordered breathing in older adults. *Sleep Med*. 2001 Nov;2(6):511-6.
15. Stessman J, Jacobs JM, Ein-Mor E, Bursztyn M. Normal body mass index rather than obesity predicts greater mortality in elderly people: the Jerusalem longitudinal study. *J Am Geriatr Soc*. 2009 Dec;57(12):2232-8.
16. Fehringer EV, Sun J, VanOeveren LS, Keller BK, Matsen FA, 3rd. Full-thickness rotator cuff tear prevalence and correlation with function and co-morbidities in patients sixty-five years and older. *J Shoulder Elbow Surg*. 2008 Nov-Dec;17(6):881-5.
17. Chong MS, Ayalon L, Marler M, Loredo JS, Corey-Bloom J, Palmer BW, et al. Continuous positive airway pressure reduces subjective daytime sleepiness in patients with mild to moderate Alzheimer's disease with sleep disordered breathing. *J Am Geriatr Soc*. 2006 May;54(5):777-81.

Chapter 3

1. Ohayon MM. Prevalence of DSM-IV diagnostic criteria of insomnia: distinguishing insomnia related to mental disorders from sleep disorders. *J Psychiatr Res*. 1997 May-Jun;31(3):333-46.
2. Grandner MA, Martin JL, Patel NP, Jackson NJ, Gehrman PR, Pien G, et al. Age and sleep disturbances among American men and women: data from the U.S. Behavioral Risk Factor Surveillance System. *Sleep*. 2012 Mar;35(3):395-406.
3. Brouwer WB, van Exel NJ, Stolk EA. Acceptability of less than perfect health states. *Soc Sci Med*. 2005 Jan;60(2):237-46.
4. Youngstedt SD, Kripke DF, Elliott JA, Klauber MR. Circadian abnormalities in older adults. *J Pineal Res*. 2001 Oct;31(3):264-72.
5. Avidan AY, Fries BE, James ML, Szafara KL, Wright GT, Chervin RD. Insomnia and hypnotic use, recorded in the minimum data set, as predictors of falls and hip fractures in Michigan nursing homes. *J Am Geriatr Soc*. 2005 Jun;53(6):955-62.
6. Phillips B, Mannino D. Correlates of sleep complaints in adults: the ARIC study. *J Clin Sleep Med*. 2005 Jul 15;1(3):277-83.

7. Kripke DF, Garfinkel L, Wingard DL, Klauber MR, Marler MR. Mortality associated with sleep duration and insomnia. *Arch Gen Psychiatry*. 2002 Feb;59(2):131-6.
8. Schnelle JF, Cruise PA, Alessi CA, Ludlow K, al-Samarrai NR, Ouslander JG. Sleep hygiene in physically dependent nursing home residents: behavioral and environmental intervention implications. *Sleep*. 1998 Aug 1;21(5):515-23.
9. Buysse DJ, Germain A, Moul DE, Franzen PL, Brar LK, Fletcher ME, et al. Efficacy of brief behavioral treatment for chronic insomnia in older adults. *Arch Intern Med*. 2011 May 23;171(10):887-95.
10. Ellis JG, Barclay NL. Cognitive behavior therapy for insomnia: state of the science or a stated science? *Sleep Med*. 2014 Aug;15(8):849-50.
11. Espie CA, Kyle SD, Williams C, Ong JC, Douglas NJ, Hames P, et al. A randomized, placebo-controlled trial of online cognitive behavioral therapy for chronic insomnia disorder delivered via an automated media-rich web application. *Sleep*. 2012 Jun;35(6):769-81.
12. Reid KJ, Baron KG, Lu B, Naylor E, Wolfe L, Zee PC. Aerobic exercise improves self-reported sleep and quality of life in older adults with insomnia. *Sleep Med*. 2010 Oct;11(9):934-40.
13. Manjunath NK, Telles S. Influence of Yoga and Ayurveda on self-rated sleep in a geriatric population. *Indian J Med Res*. 2005 May;121(5):683-90.
14. Afonso RF, Hachul H, Kozasa EH, de Souza Oliveira D, Goto V, Rodrigues D, et al. Yoga decreases insomnia in postmenopausal women: a randomized clinical trial. *Menopause*. 2012;19(2):186-93.
15. Winbush NY, Gross CR, Kreitzer MJ. The effects of mindfulness-based stress reduction on sleep disturbance: a systematic review. *Explore (NY)*. 2007 Nov-Dec;3(6):585-91.
16. Krystal AD, Durrence HH, Scharf M, Jochelson P, Rogowski R, Ludington E, et al. Efficacy and Safety of Doxepin 1 mg and 3 mg in a 12-week Sleep Laboratory and Outpatient Trial of Elderly Subjects with Chronic Primary Insomnia. *Sleep*. 2010 Nov;33(11):1553-61.
17. Wade AG, Ford I, Crawford G, McConnachie A, Nir T, Laudon M, et al. Nightly treatment of primary insomnia with prolonged release melatonin for 6 months: a randomized placebo controlled trial on age and endogenous melatonin as predictors of efficacy and safety. *BMC Med*. 2010;8:51.
18. Riemersma-van der Lek RF, Swaab DF, Twisk J, Hol EM, Hoogendoorn WJ, Van Someren EJ. Effect of bright light and melatonin on cognitive and noncognitive function in elderly residents of group care facilities: a randomized controlled trial. *JAMA*. 2008 Jun 11;299(22):2642-55.
19. Andersen AB, Frydenberg M. Long-term use of zopiclone, zolpidem and zaleplon among Danish elderly and the association with sociodemographic factors and use of other drugs. *Pharmacoepidemiol Drug Saf*. 2011 Apr;20(4):378-85.
20. Lichstein KL, Riedel BW, Lester KW, Aguillard RN. Occult sleep apnea in a recruited sample of older adults with insomnia. *J Consult Clin Psychol*. 1999 Jun;67(3):405-10.

21. Lichstein KL, Wilson NM, Noe SL, Aguillard RN, Bellur SN. Daytime sleepiness in insomnia: behavioral, biological and subjective indices. *Sleep*. 1994 Dec;17(8):693-702.
22. Desplenter F, Lavikainen P, Hartikainen S, Sulkava R, Bell JS. Sedative use and incident cognitive decline among persons aged 75 years and older: a population-based longitudinal study. *Int Psychogeriatr*. 2012 Jan;24(1):48-54.
23. McCurry SM, Gibbons LE, Logsdon RG, Vitiello MV, Teri L. Nighttime insomnia treatment and education for Alzheimer's disease: a randomized, controlled trial. *J Am Geriatr Soc*. 2005 May;53(5):793-802.

Chapter 4

1. Grandner MA, Martin JL, Patel NP, Jackson NJ, Gehrman PR, Pien G, et al. Age and sleep disturbances among American men and women: data from the U.S. Behavioral Risk Factor Surveillance System. *Sleep*. 2012 Mar;35(3):395-406.
2. Whitney CW, Gottlieb DJ, Redline S, Norman RG, Dodge RR, Shahar E, et al. Reliability of scoring respiratory disturbance indices and sleep staging. *Sleep*. 1998 Nov 1;21(7):749-57.
3. Buysse DJ, Browman KE, Monk TH, Reynolds CF, 3rd, Fasiczka AL, Kupfer DJ. Napping and 24-hour sleep/wake patterns in healthy elderly and young adults. *J Am Geriatr Soc*. 1992 Aug;40(8):779-86.
4. Foley DJ, Vitiello MV, Bliwise DL, Ancoli-Israel S, Monjan AA, Walsh JK. Frequent napping is associated with excessive daytime sleepiness, depression, pain, and nocturia in older adults: findings from the National Sleep Foundation '2003 Sleep in America' Poll. *Am J Geriatr Psychiatry*. 2007 Apr;15(4):344-50.
5. Skibitsky M, Edelen MO, Martin JL, Harker J, Alessi C, Saliba D. Can standardized sleep questionnaires be used to identify excessive daytime sleeping in older post-acute rehabilitation patients? *J Am Med Dir Assoc*. 2012 Feb;13(2):127-35
6. Dijk DJ, Groeger JA, Stanley N, Deacon S. Age-related reduction in daytime sleep propensity and nocturnal slow wave sleep. *Sleep*. 2010 Feb;33(2):211-23.
7. Dauvilliers Y, Gosselin A, Paquet J, Touchon J, Billiard M, Montplaisir J. Effect of age on MSLT results in patients with narcolepsy-cataplexy. *Neurology*. 2004 Jan 13;62(1):46-50.
8. Pack AI, Dinges DF, Gehrman PR, Staley B, Pack FM, Maislin G. Risk factors for excessive sleepiness in older adults. *Ann Neurol*. 2006 Jun;59(6):893-904.
9. Braun ME, Cines P, Gooneratne NS. Hypersomnia in Older Patients. *Sleep Medicine Clinics*. 7(2):365-78.
10. Riemersma-van der Lek RF, Swaab DF, Twisk J, Hol EM, Hoogendoorn WG, Van Someren EW. Effect of bright light and melatonin on cognitive and noncognitive function in elderly residents of group care facilities: A randomized controlled trial. *JAMA*. 2008;299(22):2642-55.

11. Dhand R, Sohal H. Good sleep, bad sleep! The role of daytime naps in healthy adults. *Curr Opin Pulm Med.* 2006 Nov;12(6):379-82.
12. Martin JL, Marler MR, Harker JO, Josephson KR, Alessi CA. A multicomponent nonpharmacological intervention improves activity rhythms among nursing home residents with disrupted sleep/wake patterns. *J Gerontol A Biol Sci Med Sci.* 2007 Jan;62(1):67-72.
13. Gary RA, Cress ME, Higgins MK, Smith AL, Dunbar SB. Combined aerobic and resistance exercise program improves task performance in patients with heart failure. *Arch Phys Med Rehabil.* 2011 Sep;92(9):1371-81.