

Actigraphy (Current Topics in Sleep Medicine from the University of Pennsylvania)

Michael Grandner, PhD

References

Chapter 2

1. Kripke DF, Mullaney DJ, Messin S, Wyborney VG. Wrist actigraphic measures of sleep and rhythms. *Electroencephalography and Clinical Neurophysiology*. 1978;44(5):674-6.
2. Sadeh A, Alster J, Urbach D, Lavie P. Actigraphically based automatic bedtime sleep-wake scoring: Validity and clinical applications. *J. Ambul. Monitoring*. 1989;2:209-216.
3. Cole RJ, Kripke DF, Gruen W, Mullaney DJ, Gillin JC. Automatic sleep/wake identification from wrist activity. *Sleep*. 1992 Oct;15(5):461-9.
4. Jean-Louis G, Kripke DF, Cole RJ, Assmus JD, Langer RD. Sleep detection with an accelerometer actigraph: comparisons with polysomnography. *Physiol Behav*. 2001 Jan;72(1-2):21-8
5. Kripke DF, Mullaney DJ, Messin S, Wyborney VG. Wrist actigraphic measures of sleep and rhythms. *Electroencephalogr Clin Neurophysiol*. 1978 May;44(5):674-6.
6. Cole RJ, Kripke DF, Gruen W, Mullaney DJ, Gillin JC. Automatic sleep/wake identification from wrist activity. *Sleep*. 1992 Oct;15(5):461-9.
7. Jean-Louis G, von Gizycki H, Zizi F, Spielman A, Hauri P, Taub H. The actigraph data analysis software: I. A novel approach to scoring and interpreting sleep-wake activity. *Percept Mot Skills*. 1997 Aug;85(1):207-16.
8. Jean-Louis G, von Gizycki H, Zizi F, Spielman A, Hauri P, Taub H. The actigraph data analysis software: II. A novel approach to scoring and interpreting sleep-wake activity. *Percept Mot Skills*. 1997 Aug;85(1):219-26.
9. Jean-Louis G, Kripke DF, Mason WJ, Elliott JA, Youngstedt SD. Sleep estimation from wrist movement quantified by different actigraphic modalities. *J Neurosci Methods*. 2001 Feb 15;105(2):185-91.
10. Paquet J, Kawinska A, Carrier J. Wake detection capacity of actigraphy during sleep. *Sleep*. 2007 Oct;30(10):1362-9.
11. Weiss AR, Johnson NL, Berger NA, Redline S. Validity of activity-based devices to estimate sleep. *J Clin Sleep Med*. 2010 Aug 15;6(4):336-42.
12. Kripke DF, Hahn EK, Grizas AP, Wadiak KH, Loving RT, Poceta JS, et al. Wrist actigraphic scoring for sleep laboratory patients: algorithm development. *J Sleep Res*. 2010 Dec;19(4):612-9.
13. Webster JB, Kripke DF, Messin S, Mullaney DJ, Wyborney G. An activity-based sleep monitor system for ambulatory use. *Sleep*. 1982;5(4):389-99.

Chapter 3

1. Refinetti R. The circadian rhythm of body temperature. Front Biosci (Landmark Ed). 2010;15:564-94. Copyright © 2010 Frontiers in Bioscience.

Chapter 5

1. Kripke DF, Hahn EK, Grizas AP, Wadiak KH, Loving RT, Poceta JS, et al. Wrist actigraphic scoring for sleep laboratory patients: algorithm development. *J Sleep Res.* 2010 Dec;19(4):612-9.
2. Rupp TL, Balkin TJ. Comparison of Motionlogger Watch and Actiwatch actigraphs to polysomnography for sleep/wake estimation in healthy young adults. *Behav Res Methods.* 2011 Dec;43(4):1152-60.
3. Kinder JR, Lee KA, Thompson H, Hicks K, Topp K, Madsen KA. Validation of a Hip-Worn Accelerometer in Measuring Sleep Time in Children. *Journal of Pediatric Nursing.* 2012;27(2):127-33.
4. Weiss AR, Johnson NL, Berger NA, Redline S. Validity of activity-based devices to estimate sleep. *J Clin Sleep Med.* 2010 Aug 15;6(4):336-42.
5. Montgomery-Downs HE, Insana SP, Bond JA. Movement toward a novel activity monitoring device. *Sleep Breath.* 2012 Sep;16(3):913-7.

Chapter 6

1. Sadeh A, Hauri PJ, Kripke DF, Lavie P. The role of actigraphy in the evaluation of sleep disorders. *Sleep.* 1995 May;18(4):288-302.
2. So K, Buckley P, Adamson TM, Horne RS. Actigraphy correctly predicts sleep behavior in infants who are younger than six months, when compared with polysomnography. *Pediatr Res.* 2005 Oct;58(4):761-5.
3. Sadeh A, Lavie P, Scher A, Tirosh E, Epstein R. Actigraphic home-monitoring sleep-disturbed and control infants and young children: a new method for pediatric assessment of sleep-wake patterns. *Pediatrics.* 1991 Apr;87(4):494-9.
4. Sadeh A, Alster J, Urbach D, Lavie P. Actigraphically based automatic bedtime sleep-wake scoring: Validity and clinical applications. *J. Ambul. Monitoring.* 1989;2:209-216.
5. Sadeh A. Assessment of intervention for infant night waking: parental reports and activity-based home monitoring. *J Consult Clin Psychol.* 1994 Feb;62(1):63-8.
6. Hyde M, O'Driscoll DM, Binette S, Galang C, Tan SK, Verginis N, et al. Validation of actigraphy for determining sleep and wake in children with sleep disordered breathing. *J Sleep Res.* 2007 Jun;16(2):213-6.
7. Short MA, Gradisar M, Lack LC, Wright H, Carskadon MA. The discrepancy between actigraphic and sleep diary measures of sleep in adolescents. *Sleep Med.* 2012 Apr;13(4):378-84.

8. Meltzer LJ, Westin AM. A comparison of actigraphy scoring rules used in pediatric research. *Sleep Med*. 2011 Sep;12(8):793-6.
9. Meltzer LJ, Montgomery-Downs HE, Insana SP, Walsh CM. Use of actigraphy for assessment in pediatric sleep research. *Sleep Med Rev*. 2012 Oct;16(5):463-75.
10. McCall C, McCall WV. Comparison of actigraphy with polysomnography and sleep logs in depressed insomniacs. *J Sleep Res*. 2012 Feb;21(1):122-7.
11. Jean-Louis G, Kripke DF, Cole RJ, Assmus JD, Langer RD. Sleep detection with an accelerometer actigraph: comparisons with polysomnography. *Physiol Behav*. 2001 Jan;72(1-2):21-8.
12. Lichstein KL, Stone KC, Donaldson J, Nau SD, Soeffing JP, Murray D, et al. Actigraphy validation with insomnia. *Sleep*. 2006 Feb;29(2):232-9.
13. McCall C, McCall WV. Comparison of actigraphy with polysomnography and sleep logs in depressed insomniacs. *J Sleep Res*. 2012 Feb;21(1):122-7.
14. Peterson BT, Chiao P, Pickering E, Freeman J, Zammit GK, Ding Y, et al. Comparison of actigraphy and polysomnography to assess effects of zolpidem in a clinical research unit. *Sleep Med*. 2012 Apr;13(4):419-24.
15. Martoni M, Bayon V, Elbaz M, Leger D. Using actigraphy versus polysomnography in the clinical assessment of chronic insomnia (retrospective analysis of 27 patients). *Presse Med*. 2012 Mar;41(3 Pt 1):e95-e100.
16. Kim MJ, Lee GH, Kim CS, Kim WS, Chung YS, Chung S, et al. Comparison of three actigraphic algorithms used to evaluate sleep in patients with obstructive sleep apnea. *Sleep Breath*. 2013 Mar;17(1):297-304.