

Chapter 3

1. Fletcher EC, Miller J, Divine GW, Fletcher JG, Miller T. Nocturnal oxyhemoglobin desaturation in COPD patients with arterial oxygen tensions above 60 mm Hg. *Chest*. 1987 Oct;92(4):604-8.
2. Levi-Valensi P, Weitzenblum E, Rida Z, Aubry P, Braghiroli A, Donner C, et al. Sleep-related oxygen desaturation and daytime pulmonary haemodynamics in COPD patients. *Eur Respir J*. 1992 Mar;5(3):301-7.
3. Vos PJ, Folgering HT, van Herwaarden CL. Predictors for nocturnal hypoxaemia (mean SaO₂ < 90%) in normoxic and mildly hypoxic patients with COPD. *Eur Respir J*. 1995 Jan;8(1):74-7.
4. Scott AS, Baltzman MA, Chan R, Wolkove N. Oxygen desaturation during a 6 min walk test is a sign of nocturnal hypoxemia. *Can Respir J*. 2011 Nov-Dec;18(6):333-7.
5. Flenley DC. Sleep in chronic obstructive lung disease. *Clin Chest Med*. 1985 Dec;6(4):651-61.
6. Olmetti F, La Rovere MT, Robbi E, Taurino AE, Fanfulla F. Nocturnal cardiac arrhythmia in patients with obstructive sleep apnea. *Sleep Med*. 2008 Jul;9(5):475-80.
7. Fletcher EC, Donner CF, Midgren B, Zielinski J, Levi-Valensi P, Braghiroli A, et al. Survival in COPD patients with a daytime PaO₂ greater than 60 mm Hg with and without nocturnal oxyhemoglobin desaturation. *Chest*. 1992 Mar;101(3):649-55.
8. Chaouat A, Weitzenblum E, Kessler R, Charpentier C, Ehrhart M, Levi-Valensi P, et al. Sleep-related O₂ desaturation and daytime pulmonary haemodynamics in COPD patients with mild hypoxaemia. *Eur Respir J*. 1997 Aug;10(8):1730-5.
9. Multi-center randomized placebo-controlled trial of nocturnal oxygen therapy in chronic obstructive pulmonary disease. The Canadian Nocturnal Oxygen (CANOX) Trial. < www.clinicaltrials.gov> (NCT01044628).
10. Ozsancak A, D'Ambrosio C, Hill NS. Nocturnal noninvasive ventilation. *Chest*. 2008 May;133(5):1275-86.
11. McEvoy RD, Pierce RJ, Hillman D, Esterman A, Ellis EE, Catcheside PG, et al. Nocturnal non-invasive nasal ventilation in stable hypercapnic COPD: a randomised controlled trial. *Thorax*. 2009 Jul;64(7):561-6.
12. de Miguel J, Cabello J, Sanchez-Alarcos JM, Alvarez-Sala R, Espinos D, Alvarez-Sala JL. Long-term effects of treatment with nasal continuous positive airway pressure on lung function in patients with overlap syndrome. *Sleep Breath*. 2002 Mar;6(1):3-10.
13. O'Brien A, Whitman K. Lack of benefit of continuous positive airway pressure on lung function in patients with overlap syndrome. *Lung*. 2005 Nov-Dec;183(6):389-404.

14. Toraldo DM, De Nuccio F, Nicolardi G. Fixed-pressure nCPAP in patients with obstructive sleep apnea (OSA) syndrome and chronic obstructive pulmonary disease (COPD): a 24-month follow-up study. *Sleep Breath*. 2010 Jun;14(2):115-23.
15. Marin JM, Soriano JB, Carrizo SJ, Boldova A, Celli BR. Outcomes in patients with chronic obstructive pulmonary disease and obstructive sleep apnea: the overlap syndrome. *Am J Respir Crit Care Med*. 2010 Aug 1;182(3):325-31.
16. Kushida CA, Littner MR, Hirshkowitz M, Morgenthaler TI, Alessi CA, Bailey D, et al. Practice parameters for the use of continuous and bilevel positive airway pressure devices to treat adult patients with sleep-related breathing disorders. *Sleep*. 2006 Mar;29(3):375-80.
17. Kakkar RK, Berry RB. Positive airway pressure treatment for obstructive sleep apnea. *Chest*. 2007 Sep;132(3):1057-72.
18. Krachman S, Minai OA, Scharf SM. Sleep abnormalities and treatment in emphysema. *Proc Am Thorac Soc*. 2008 May 1;5(4):536-42.
19. Vallarino C, Rajagopalan R, Mini L. Prevalence of insomnia among patients with chronic obstructive pulmonary disease in a large database. *Value in Health*. 2005;8(3):322.
20. Budhiraja R, Parthasarathy S, Budhiraja P, Habib MP, Wendel C, Quan SF. Insomnia in patients with COPD. *Sleep*. 2012 Mar;35(3):369-75.
21. Krachman S, Minai OA, Scharf SM. Sleep abnormalities and treatment in emphysema. *Proc Am Thorac Soc*. 2008 May 1;5(4):536-42.
22. McSharry D, O'Connor C, McNicholas T, Langran S, O'Sullivan M, Lowery M, et al. Genioglossus fatigue in obstructive sleep apnea. *Respir Physiol Neurobiol*. 2012 Aug 15;183(2):59-66.
23. Scharf SM, Maimon N, Simon-Tuval T, Bernhard-Scharf BJ, Reuveni H, Tarasiuk A. Sleep quality predicts quality of life in chronic obstructive pulmonary disease. *Int J Chron Obstruct Pulmon Dis*. 2011;6:1-12.
24. Omachi TA, Blanc PD, Claman DM, Chen H, Yelin EH, Julian L, et al. Disturbed sleep among COPD patients is longitudinally associated with mortality and adverse COPD outcomes. *Sleep Med*. 2012 May;13(5):476-83.
25. Kapella MC, Herdegen JJ, Perlis ML, Shaver JL, Larson JL, Law JA, et al. Cognitive behavioral therapy for insomnia comorbid with COPD is feasible with preliminary evidence of positive sleep and fatigue effects. *Int J Chron Obstruct Pulmon Dis*. 2011;6:625-35.
26. Roth T. What is the nature of nonrestorative sleep? *Sleep Med*. 2010 Dec;11(10):963-4.

Additional References

1. Sleep Heart Health Study: Sander MH, et al. Sleep and sleep-disordered breathing in adults with predominantly mild obstructive airway disease. *AJRCCM* 2003; 167: 7-14.
2. Celli BR, et al. Standards for the diagnosis and treatment of patients with COPD: a summary of the ATS/ERS position paper. *Eur Respir J* 2004; 23: 932-946.

3. American Thoracic Society. Standards for the diagnosis and care of patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1995; 152(Suppl 5):S77-S120.
4. Medical Research Council Working Party. Long-term domiciliary oxygen therapy in chronic hypoxic cor pulmonale complicating chronic bronchitis and emphysema. *Lancet* 1981; 1: 681-686.
5. Nocturnal Oxygen Therapy Trial Group. Continuous or nocturnal oxygen therapy in hypoxemic chronic obstructive lung disease: a clinical trial. *Ann Intern Med* 1980; 93: 391-398.
6. Collop N. Sleep and Sleep Disorders in Chronic Obstructive Pulmonary Disease. *Respiration* 2010;80:78–86
7. Owens, RL. Sleep-Disordered Breathing and COPD: The Overlap Syndrome. *Respir Care* 2010;55(10):1333–1344
8. McNicholas, WT. Sleep Disorders in COPD: the Forgotten Dimension. *Eur Respir Rev* 2013; 22: 365-375