

Obesity Hypoventilation Syndrome (Current Topics in Sleep Medicine from the University of Pennsylvania)

Bernie Y. Sunwoo, MB BS

References

Chapter 2

1. Kryger MH. Sleep apnea. From the needles of Dionysius to continuous positive airway pressure. *Arch Intern Med.* 1983 Dec;143(12):2301-3.
2. Auchincloss JH, Jr., Cook E, Renzetti AD. Clinical and physiological aspects of a case of obesity, polycythemia and alveolar hypoventilation. *J Clin Invest.* 1955 Oct;34(10):1537-45.
3. Burwell CS, Robin ED, Whaley RD, Bickelmann AG. Extreme obesity associated with alveolar hypoventilation--a Pickwickian Syndrome. 1956. *Obes Res.* 1994 Jul;2(4):390-7.
4. Kryger M. Charles Dickens: impact on medicine and society. *J Clin Sleep Med.* 2012 Jun 15;8(3):333-8.
5. Dickens C. The Posthumous papers of the Pickwick Club. London: Chapman and Hall; 1837.

Chapter 3

1. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 1985-2010.
2. Mokhlesi B. Obesity hypoventilation syndrome: a state-of-the-art review. *Respir Care.* 2010 Oct;55(10):1347-62; discussion 63-5.
3. Mokhlesi B, Kryger MH, Grunstein RR. Assessment and management of patients with obesity hypoventilation syndrome. *Proc Am Thorac Soc.* 2008 Feb 15;5(2):218-25.
4. Littleton SW, Mokhlesi B. The pickwickian syndrome-obesity hypoventilation syndrome. *Clin Chest Med.* 2009 Sep;30(3):467-78, vii-viii.

Chapter 4

1. Mokhlesi B, Kryger MH, Grunstein RR. Assessment and management of patients with obesity hypoventilation syndrome. *Proc Am Thorac Soc.* 2008 Feb 15;5(2):218-25.

Chapter 5

1. Kaw R, Hernandez AV, Walker E, Aboussouan L, Mokhlesi B. Determinants of hypercapnia in obese patients with obstructive sleep apnea: a systematic review and metaanalysis of cohort studies. *Chest.* 2009 Sep;136(3):787-96.

Chapter 6

1. Littleton SW, Mokhlesi B. The pickwickian syndrome-obesity hypoventilation syndrome. *Clin Chest Med.* 2009 Sep;30(3):467-78, vii-viii.

2. Kryger M. Charles Dickens: impact on medicine and society. *J Clin Sleep Med.* 2012 Jun 15;8(3):333-8.
3. Kessler R, Chaouat A, Schinkewitch P, Faller M, Casel S, Krieger J, et al. The obesity-hypoventilation syndrome revisited: a prospective study of 34 consecutive cases. *Chest.* 2001 Aug;120(2):369-76.
4. Mokhlesi B, Tulaimat A, Faibusowitsch I, Wang Y, Evans AT. Obesity hypoventilation syndrome: prevalence and predictors in patients with obstructive sleep apnea. *Sleep Breath.* 2007 Jun;11(2):117-24.
5. Macavei VM, Spurling KJ, Loft J, Makker HK. Diagnostic predictors of obesity-hypoventilation syndrome in patients suspected of having sleep disordered breathing. *J Clin Sleep Med.* 2013 Sep;9(9):879-84.
6. Berry RB, Brooks R, Gamaldo CE, Harding SM, Marcus CL, Vaughn BV, et al. The AASM Manual for the Scoring of Sleep and Associated Events: Rules, Terminology and Technical Specifications, Version 2.0.2. 2013.
7. Mokhlesi B. Obesity hypoventilation syndrome: a state-of-the-art review. *Respir Care.* 2010 Oct;55(10):1347-62; discussion 63-5.

Chapter 7

1. Nowbar S, Burkart KM, Gonzales R, Fedorowicz A, Gozansky WS, Gaudio JC, et al. Obesity-associated hypoventilation in hospitalized patients: prevalence, effects, and outcome. *Am J Med.* 2004 Jan 1;116(1):1-7.
2. Berg G, Delaive K, Manfreda J, Walld R, Kryger MH. The use of health-care resources in obesity-hypoventilation syndrome. *Chest.* 2001 Aug;120(2):377-83.
3. Kessler R, Chaouat A, Schinkewitch P, Faller M, Casel S, Krieger J, et al. The obesity-hypoventilation syndrome revisited: a prospective study of 34 consecutive cases. *Chest.* 2001 Aug;120(2):369-76.

Chapter 8

1. Auchincloss JH, Jr., Cook E, Renzetti AD. Clinical and physiological aspects of a case of obesity, polycythemia and alveolar hypoventilation. *J Clin Invest.* 1955 Oct;34(10):1537-45.
2. Mokhlesi B, Kryger MH, Grunstein RR. Assessment and management of patients with obesity hypoventilation syndrome. *Proc Am Thorac Soc.* 2008 Feb 15;5(2):218-25.
3. Greenburg DL, Lettieri CJ, Eliasson AH. Effects of surgical weight loss on measures of obstructive sleep apnea: a meta-analysis. *Am J Med.* 2009 Jun;122(6):535-42.
4. Buchwald H, Avidor Y, Braunwald E, Jensen MD, Pories W, Fahrbach K, et al. Bariatric surgery: a systematic review and meta-analysis. *JAMA.* 2004 Oct 13;292(14):1724-37.
5. Dixon JB, Schachter LM, O'Brien PE, Jones K, Grima M, Lambert G, et al. Surgical vs conventional therapy for weight loss treatment of obstructive sleep apnea: a randomized controlled trial. *JAMA.* 2012 Sep 19;308(11):1142-9.
6. Sugerman HJ, Baron PL, Fairman RP, Evans CR, Vetrovec GW. Hemodynamic dysfunction in obesity hypoventilation syndrome and the effects of treatment with surgically induced weight loss. *Ann Surg.* 1988 May;207(5):604-13.

7. Rapoport DM, Sorkin B, Garay SM, Goldring RM. Reversal of the "Pickwickian syndrome" by long-term use of nocturnal nasal-airway pressure. *N Engl J Med.* 1982 Oct 7;307(15):931-3.
8. Banerjee D, Yee BJ, Piper AJ, Zwillich CW, Grunstein RR. Obesity hypoventilation syndrome: hypoxemia during continuous positive airway pressure. *Chest.* 2007 Jun;131(6):1678-84.
9. Masa JF, Celli BR, Riesco JA, Hernandez M, Sanchez De Cos J, Disdier C. The obesity hypoventilation syndrome can be treated with noninvasive mechanical ventilation. *Chest.* 2001 Apr;119(4):1102-7.
10. Nowbar S, Burkart KM, Gonzales R, Fedorowicz A, Gozansky WS, Gaudio JC, et al. Obesity-associated hypoventilation in hospitalized patients: prevalence, effects, and outcome. *Am J Med.* 2004 Jan 1;116(1):1-7.
11. de Lucas-Ramos P, de Miguel-Diez J, Santacruz-Siminiani A, Gonzalez-Moro JM, Buendia-Garcia MJ, Izquierdo-Alonso JL. Benefits at 1 year of nocturnal intermittent positive pressure ventilation in patients with obesity-hypoventilation syndrome. *Respir Med.* 2004 Oct;98(10):961-7.
12. Perez de Llano LA, Golpe R, Ortiz Piquer M, Veres Racamonde A, Vazquez Caruncho M, Caballero Muinelos O, et al. Short-term and long-term effects of nasal intermittent positive pressure ventilation in patients with obesity-hypoventilation syndrome. *Chest.* 2005 Aug;128(2):587-94.
13. Budweiser S, Riedl SG, Jorres RA, Heinemann F, Pfeifer M. Mortality and prognostic factors in patients with obesity-hypoventilation syndrome undergoing noninvasive ventilation. *J Intern Med.* 2007 Apr;261(4):375-83.
14. Priou P, Hamel JF, Person C, Meslier N, Racineux JL, Urban T, et al. Long-term outcome of noninvasive positive pressure ventilation for obesity hypoventilation syndrome. *Chest.* 2010 Jul;138(1):84-90.
15. Borel J-C, Tamisier R, Gonzalez-Bermejo J, Baguet J-P, Monneret D, Arnol N, et al. Noninvasive ventilation in mild obesity hypoventilation syndrome: A randomized controlled trial. *Chest.* 2012;141(3):692-702.
16. Carrillo A, Ferrer M, Gonzalez-Diaz G, Lopez-Martinez A, Llamas N, Alcazar M, et al. Noninvasive ventilation in acute hypercapnic respiratory failure caused by obesity hypoventilation syndrome and chronic obstructive pulmonary disease. *Am J Respir Crit Care Med.* 2012 Dec 15;186(12):1279-85.
17. Piper AJ, Wang D, Yee BJ, Barnes DJ, Grunstein RR. Randomised trial of CPAP vs bilevel support in the treatment of obesity hypoventilation syndrome without severe nocturnal desaturation. *Thorax.* 2008 May;63(5):395-401.
18. Mokhlesi B, Tulaimat A. Recent advances in obesity hypoventilation syndrome. *Chest.* 2007 Oct;132(4):1322-36.
19. Hollier CA, Harmer AR, Maxwell LJ, Menadue C, Willson GN, Unger G, et al. Moderate concentrations of supplemental oxygen worsen hypercapnia in obesity hypoventilation syndrome: a randomised crossover study. *Thorax.* 2014 Apr;69(4):346-53.
20. Rapoport DM, Garay SM, Epstein H, Goldring RM. Hypercapnia in the obstructive sleep apnea syndrome. A reevaluation of the "Pickwickian syndrome". *Chest.* 1986 May;89(5):627-35.